



Supplementary

Glucose Decorated Silica-Molybdate Complex: A Novel Catalyst for the Facile Synthesis of Pyrano[2,3-*d*]-pyrimidines Derivatives

Arezoo Pourkazemi, Negin Asaadi, Mahnaz Farahi,* Ali Zarnegaryan and Bahador Karami

Department of Chemistry, Yasouj University, P. O. Box 353, Yasouj 75918-74831, Iran

**Corresponding author: E-mail: farahimb@yu.ac.ir*





Current Data Parameters
NAME Esfand
EXPNO 435
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200305
Time 23.59
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 16
DS 2
SWH 6009.615 Hz
FIDRES 0.091699 Hz
AQ 5.4525952 sec
RG 33.22
DW 83.200 usec
DE 6.50 usec
TE 298.6 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SF01 300.8118576 MHz
NUC1 1H
P1 15.00 usec
PLW1 6.40000010 W

F2 - Processing parameters
SI 65536
SF 300.8100000 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00








Current Data Parameters
NAME Day
EXPNO 663
PROCNO 1

F2 - Acquisition Parameters
Date_ 20210114
Time 10.41
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zgpg30
TD 65536
SOLVENT DMSO
NS 10240
DS 4
SWH 18115.941 Hz
FIDRES 0.216427 Hz
AQ 1.8087935 sec
RG 202
DW 27.600 usec
DE 6.50 usec
TE 295.8 K
D1 2.0000000 sec
D11 0.0300000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 75.6462982 MHz
NUC1 13C
P1 10.00 usec
PLW1 30.0000000 W

===== CHANNEL f2 =====
SFO2 300.8112632 MHz
NUC2 1H
CPDPRG12 waltz16
PCPD2 90.00 usec
PLW2 6.4000000 W
PLW12 0.1777800 W
PLW13 0.1439999 W

F2 - Processing parameters
SI 32768
SF 75.6387350 MHz
WDW EM
SSB 0
LB 1.00 Hz
GB 0
PC 1.40



Current Data Parameters
NAME Esfand
EXPNO 435
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200305
Time 23.59
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 16
DS 2
SWH 6009.615 Hz
FIDRES 0.091699 Hz
AQ 5.4525952 sec
RG 33.22
DW 83.200 usec
DE 6.50 usec
TE 298.6 K
D1 1.0000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 300.8118576 MHz
NUC1 1H
P1 15.00 usec
PLW1 6.40000010 W

F2 - Processing parameters
SI 65536
SF 300.8100000 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00






Current Data Parameters
NAME Esfand
EXPNO 435
PROCNO 1


F2 - Acquisition Parameters
Date_ 20200305
Time 23.59
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 16
DS 2
SWH 6009.615 Hz
FIDRES 0.091699 Hz
AQ 5.4525952 sec
RG 33.22
DW 83.200 usec
DE 6.50 usec
TE 298.6 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
SFO1 300.8118576 MHz
NUC1 1H
P1 15.00 usec
PLW1 6.40000010 W

F2 - Processing parameters
SI 65536
SF 300.8100000 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00








Current Data Parameters
NAME Esfand
EXPNO 436
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200306
Time 0.07
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 28
DS 2
SWH 6009.615 Hz
FIDRES 0.091699 Hz
AQ 5.4525952 sec
RG 33.22
DW 83.200 usec
DE 6.50 usec
TE 298.6 K
D1 1.00000000 sec
TD0 1

----- CHANNEL f1 -----
SFOL 300.8118576 MHz
NUC1 1H
P1 15.00 usec
PLW1 6.40000010 W

F2 - Processing parameters
SI 65536
SF 300.8100000 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



Current Data Parameters
NAME Esfand
EXPNO 43
PROCNO 1

F2 - Acquisition Parameters
Date_ 20200305
Time 23.59
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT DMSO
NS 16
DS 2
SWH 6009.615 Hz
FIDRES 0.091699 Hz
AQ 5.4525952 sec
RG 33.22
DW 83.200 usec
DE 6.50 usec
TE 298.6 K
D1 1.00000000 sec
TD0 1

----- CHANNEL f1 -----
SFOL 300.8118576 MHz
NUC1 1H
P1 15.00 usec
PLW1 6.40000010 W

F2 - Processing parameters
SI 65536
SF 300.8100000 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00