

Synthesis of Schiff Bases of Usnic Acid and Investigation of Their Antidiabetic, Antidepressant, Anti-Parkinson's Disease, Neuroprotective and Antioxidant Potentials

Lawali Yabo-Dambagi,^{1,*} Ahmet Cakir,^{2,3} Mehmet Akyuz,^{2,3} Ayşegül İyidoğan¹ and Ali Aslan^{4,5}

¹ *Department of Chemistry, Faculty of Science and Letters, Gaziantep University, Gaziantep, Türkiye*

² *Department of Chemistry, Faculty of Science, Kilis 7 Aralık University, 79000-Kilis, Türkiye*

³ *Advanced Technology Application and Research Center (ATARC), Kilis 7 Aralık University, 79000-Kilis, Türkiye*

⁴ *Department of Pharmacology, Faculty of Pharmacy, Yüzüncü Yıl University, 5080-Van, Türkiye*

⁵ *Department of Biology, Faculty of Arts and Science, Kyrgyz-Turkish Manas University, Bishkek, Kyrgyzstan*

*Corresponding Author at: Department of Chemistry, Faculty of Science and Letters, Gaziantep University, Gaziantep, Türkiye

E-mail address: dambagi91@gmail.com, ld11012@mail2.gantep.edu.tr

UA-4-AFL-1HNMR




Figure S1. ^1H NMR spectrum of the compound 2

UA-4-AFL-13C-NMR




Figure S2. ^{13}C NMR spectrum of the compound 2




Figure S3. ^1H NMR spectrum of the compound 3

UA-3-AFL-13C-NMR




Figure S4. ^{13}C NMR spectrum of the compound 3

UA-2-AFL-1HNMR




Figure S5. ^1H NMR spectrum of the compound 4




Figure S6. ^{13}C NMR spectrum of the compound 4




Figure S7. ¹H NMR spectrum of the compound 5




Figure S8. ^{13}C NMR spectrum of the compound **5**